

HEALTH BEAUTY WELLBEING

LCM

G R O U P

PRODUCT LIST

LCM s.p.a.

FINE CHEMICALS DEPARTMENT

Nutraceutical Division



NUTRACEUTICAL DIVISION

L.C.M. started in 1982 as agent and distributor of pharmaceutical and cosmetic raw materials.

Now, more than 30 years later, well-established partnerships with the leading manufacturer of the products used as dietary supplements, allow us to be considered an important partner for all the Companies involved in the production, marketing and sales of Nutraceuticals.

We offer to our customers a products portfolio which include active ingredients, herbal extracts (standard and organic), animal extracts, excipients and other natural ingredients. We work in compliance with the Good Trade and Distribution Practices requirements, our Document Management System guarantees full traceability of all products and related commercial transactions.

All our products are fully in compliance with the European Regulations of Food Supplements. This standards are certified and guaranteed by our quality department which take care of periodical inspection and approval of our partners.

We have a well trained and very committed staff which can guarantee professionalism and knowledge of local markets in order to satisfy customers needs.

The management of our warehouse is outsourced to a specialized logistics company, certified ISO 9001:2000. We benefit from a high financial rating and a solid corporate capital.

Qualified Regulatory Department

Strong Supply Chain Control

Total Quality Management

Technical Sales Skills

Stock Point

Compliance with GTDP requirements



IMPORT LICENCE FOR
ACTIVE PHARMACEUTICAL
INGREDIENTS (API)
ISSUED BY AIFA (Italian Medicines Agency)



HEALTH BEAUTY WELLBEING

www.lcmspa.it

ACTIVE INGREDIENTS

Alpha Lipoic Acid

Beta Carotene

Chondroitin Sulphate

Coenzyme Q10

Coniugated Linoleic Acid

Desiccated Organs (e.g. desiccated liver, lung...)

DL-Choline bitartrate

Folic Acid

Fucoxanthin 10% UV

Hyaluronic Acid

Inositol

L-Glutatione

Omega 3

Phosphatidylserine

Psyllium

Probiotics

SAM-E

Sterols

Stevia Extract

Red Yeast Rice Powder

ENZYMES

Alpha Galactosidase

Beta Galactosidase (Lactase)

Cellulase

Diastase

Lipase

Amilase

Protease

MARINE BY PRODUCTS

Hydrolyzed Collagen Type II

Calcium Hydroxyapatite

Hydrolyzed Collagen Type I

Collyss

Peptones

Peptidyss - Tensidyss

Magnesium from sea water

Mannimag

Calcium Hydroxyapatite

Calcidyss

VITAMINS

Natural Vitamin K2 Oil and Powder

Vitamin D3 Oil and Powder

Vitamin B1 (encapsulated)

Vitamin B2 (encapsulated)

Vitamin B6 (encapsulated)

Vitamin B8 (encapsulated)

Vitamin B12 (encapsulated)

Vitamin C (encapsulated)

PROBIOTICS

Bacillus Clausii

Bacillus Coagulans

Bacillus Licheniformis

Bacillus Pumilus

Bacillus Subtilis

Enterococcus Faecalis

Enterococcus Faecium

Enterococcus Mundtii

Pediococcus Acidilactici

Pediococcus Pentosaceus

Saccharomyces Boulardii

Saccharomyces Cerevisiae

Streptococcus Thermophilus

BIOSTIMULANTS

Bacillus Licheniformis

Bacillus Pumilus

Bacillus Subtilis

Bacillus Megaterium

Bacillus Polymyxa

Saccharomyces Cerevisiae

AMINO ACIDS

L- Cystine

L- Cysteine

L-Tyrosine

N-Acetyl-L-Cysteine

L-carnitine base

L-carnitine tartrate

N-Acetyl cysteine

L-carnitine Hcl

Arginine HCL

Arginine base

L-Tryptophan

BCAA DC Grade

Instant BCAA

BCAA powder

Beta alanine

L-Glutamine

L-Isoleucine

L-Leucine

L-Valine

L-Citrulline DL-Malate 2:1

L-Citrulline DL-Malate 1:1

Creatine monohydrate

L-Citrulline

L-Serine

EXCIPIENTS

Microcrystalline cellulose

Microcrystalline cellulose Colloidal

Croscarmellose Sodium

Polyvinylpyrrolidone (PVP)

Sodium Glicine Carbonate

Monoammonium Glycyrrhizinate

Carnauba wax

Glycerin

Lactose

MINERAL SALTS FOOD GRADE**CALCIUM**

Citrate

Gluconate

Glycerophosphate GIVOCAL

Lactate

Liquid Glycerophosphate 50%

MAGNESIUM

Citrate

Gluconate

Glycerophosphate GIVOMAG

Lactate

Liquid Glycerophosphate 50%

ZINC

Citrate

Gluconate

Lactate

VITAMIN B3

Vitamin B3

COPPER

Gluconate

MANGANESE

Gluconate

SODIUM

Lactate

IRON

Gluconate GIVOBIO Fe 601

POTASSIUM

Lactate

Liquid Glycerophosphate 50%

Liquid Glycerophosphate 75%

HERBAL EXTRACTS

We can supply a wide kind of herbal extract in compliance with EP and USP requirements, standard and organic products.

Acerola Fruit Powders - Vitamin C

Organic

Acerola Fruit Powder Type 1000	min. 17% natural Vitamin C	●
Acerola Fruit Powder Type 1001	min. 25% Vitamin C (standardized with Ascorbic Acid)	
Acerola Fruit Powder Type 2000	min. 20% natural Vitamin C	●
Acerola Fruit Powder Type 3000	min. 25% natural Vitamin C	●

Alpha Aloe ®

Leaf Extract, oily	on basis soybean oil	
Gel pure 1:1		
Gel Concentrate 10:1		●
Concentrate Powder 201	100:1, spray dried	
Concentrate Powder 301	200:1, spray dried	
Concentrate Powder 301	200:1, freeze dried	

Freshplant Pressjuice

Artichoke Pressjuice Powder	min. 0.6% total Caffeoylquinic acid derivatives (Cca)	●
	min. 0.25% Cynarin	
Dandelion Pressjuice Powder	min. 1% Gentiobiose (Cca)	●
Echinacea Pressjuice Powder	min. 3.0% Cichoric acid (HPLC)	●
Echinacea Pressjuice	min. 0.15% Cichoric acid	
Hawthorn Pressjuice Powder	min. 0.6% Flavonoids calculated as Hyperosid	●
St. John's Wort Pressjuice Powder	min. 3% (HPLC)	●
Stinging Nettle Pressjuice Powder	min. 4.5 % (Cca)	●
	min. 40 mg/100 g total flavonoids (HPLC)	

Natural Oils

Organic

Avocado Oil, refined

Macadamia Nut Oil, refined

Rose Hip Seed Oil, cold pressed



Rose Hip Seed Oil, refined

deacidified, deodorized

St. John's Wort Oil (Oleum Hyperici)

on basis peanut oil made of fresh St. John's

Wort flowers Hypericin

Wheat Germ Oil, crude

Wheat Germ Oil, refined, Ph.Eur.

bleached, deacidified, deodorized, winterized mild taste

max. 2 % Trans Fatty Acids natural Vitamin E

refined in Germany

Plant Extracts - Fruit Powders

Organic

Artichoke Leaves Extract Powder	min 2,5 % Caffeoylquinic acids calculated as Chlorogenic Acid	
Beet Root Fruit Powder	2,5-5,7 % Tritationable acids calculated as citric acid monohydrate	●
Birch Leaves Extract Powder	11-33mg/g hyperosid	
Camomile Flowers Extract Powder	0.5 - 1.7 % essential oils	
Dandelion Extract Powder	1.0 – 60.0 mg/g 1-O-(3-β-D-glucosido-caffeoyl) Gentiobiose calculated as Rutoside	
Devil's Claw Root Extract Powder	2,0 - 3,0% Harpagoside 1.0 - 4.0 % Harpagoside (HPLC)	
Field Horsetail Extract Powder	1,3 - 10% soluble silicates (calc. As ortho-silicic acid)	
Green Tea Extract Powder	18 - 30% Polyphenols	●
Hawthorn Extract Powder	min. 2.5% Flavonoids calculated as Hyperosid	
Hop Extract Powder	min. 2% total Humulon	
Passion Flower Extract Powder	0.8 - 5.0% Vitexin and Isovitexine calculated as Vitexin	
Peppermint Leaves Extract Powder	Rosmarinic acid batch-specific determination	
Red Sorrel Extract Powder	18 - 30% total amount of plant acids	●
Rose Hip Extract Powder	min. 4% Vitamin C	
Saw Palmetto Fruits Extract Powder		
St. John's Wort Extract Powder	0.09 - 0.27% total Hypericine calculated as Hypericin max. 0.45% total Hyperforine calculated as Adhyperforin min. 5,4% flavonoids calculated as rutoside	
Valerian Root Extract Powder	0.25 - 0.90% Sesquiterpene acid calculated as Valerenic acid	
Willow Bark Extract Powder	min. 15 % natural Salicine	

Caviar Extracts

Caviar Phospholipids , premium grade	approx. 20 - 30 % Phospholipids min. 30 % Omega3
Caviar Protein Extract U70	water insoluble extract powder min. 70 % protein
Caviar Protein Extract W50	water soluble extract powder min. 50 % protein

Bee Products

Propolis Extrakt Powder PAN 80	min. 80 % pure Propolis approx. 10 % natural Flavonoids calculated as Hyperosid - origin South America
Propolis Extract Powder PAN 90	min. 90 % pure Propolis approx. 10 % natural Flavonoids calculated as Hyperosid - origin South America
Propolis Liquid Extract	min. 10 % pure Propolis in H2O origin South America
Propolis Liquid Extract	min. 10 % pure Propolis in Propylene glycol origin South America
Propolis Tincture	min. 10 % pure Propolis in Ethanol origin South America
Propolis Pasty Extract	min. 80 % pure Propolis approx. 10 % natural Flavonoids calculated as Hyperosid - origin South America
Pollen Extract Powder 4:1	water soluble Origin Europe

Plant Products

Chlorophyll (Cu-complex, 18 %)	E-141, oil soluble paste
Chlorophyll (Mg, complex, 16 %)	E-140, oil soluble paste
Chlorophyllin-Na-Cu	water soluble
Chlorophyllin-Na-Mg	100 % natural, water soluble
Phytoprotein PAN 80®	100 % pure, min. 70 % plant protein, water soluble
Soy Protein Hydrolysate Powder	100 % pure, min. 56 % plant protein, water soluble
Wheat Germ Hydrolysate Powder	100 % pure, min. 31 % plant protein, water soluble

Animal Extracts

Keratin Hydrolysate Powder / CUTICULIN	water soluble scleroproteine
Milk Extract Powder / MILK PEPTIDE	water soluble peptide
Placenta Extract Powder	water soluble peptide
Silk Hydrolysate Powder	water soluble silk peptide
Snail Hydrolysate Powder	water soluble
Sternal Chicken Cartilage Hydrolysate	100 % pure, water soluble 70 - 80 % Collagen, approx. 20 % Mucopolysaccharide
Thymus Extract Powder (ex bovine)	water soluble peptide
Thymus Peptide (ex porcine)	water soluble peptide

STANDARDIZED HERBAL EXTRACT

Product Name	Botanical Source	Part Used	Main Component Content
Andrographis Paninulate P.E	Andrographis paniculata (Burm.f.) Nees	Aerial Part	Andrographolide 10%,15%
Angelica P.E	Angelica sinensis(Oliv.)Diels	Rhizome	Lingustilide 1%
Artichoke P.E	Cynara scolymus L.	Flowering Head	Caffeoylquinic Acid 13%
Artichoke P.E	Cynara scolymus L.	Leaf	Caffeoylquinic acid expressed as chlorogenic acid 2,5%-Cynarin 0,5%,2,5%
Astragalus P.E	Astragalus membranaceus(Fisch.)Bge	Rhizome	Polysacchrides 20%,40%
Banaba Leaf P.E	Lagerstroemia speciosa (L.) Pers	Herb	Corosolic acid 2,5%
Bitter Melon P.E	Momordica charantia L.	Fruit	Charantin 1% Total saponins 10%
Black Cohosh P.E	Cimicifuga foetida L.	Rhizome	Triterpenes 2.5% 5% 8%
Bladderwack P.E	Fucus vesiculosusu L.	Thallus	Fucosterol 0,2% Iodine 0,2%
Boswellia Sorrata P.E	Boswellia serrata Roxb	Resin	Boswellic Acids 65%
Butcher's Broom P.E	Ruscus aculeatus L.	Rhizome	Saponins calculated as ruscoagenins 9%
Cactus P.E	Opuntia dillenii Haw	Stem	Flavones 2%
Cape Aloes P.E	Aloe ferox Miller	Stem	Hydroxyanthracene derivatives 20%
Casanthranol P.E	Rhamnus purshiana DC	Bark	Cascarosides expressed as cascaroside A 25%
Cassia Nomame P.E	Cassia nomame (sibe.)L.Kitagawa	Fruit	Flavones 8%
Chamomille P.E	Chamomilla recutita (L.) Rausch	Flowering Head	Total apigenin 1,2%
Chasteberry P.E	Vitex trifolia L.	Fruit	Flavones 5%
Chinese Rhubarb P.E	Rheum palmatum L.	Rhizome	Anthraquinones 1%
Cinnamon Bark P.E	Cinnamomum cassia Presl	Bark	Polyphenols 8%,30%
Cistanche Tubulosa P.E	Cistanche deserticola Y.C. Ma	Rhizome	Polyphenols 18%
Cnidium Fruit P.E	Cnidium monnieri (L.)Cuss	Seed	Osthole 10%,20%,30%
Coleus P.E	Coleus barbatus Benth	Rhizome	Forskolin 80%
Dandelion P.E	Taraxacum mongolicum Hand.Mazz	Aerial Part	Flavonoids 3%,5%
Devil's Claw P.E	Harpagophytum procumbens DC	Root	Harpagoside 2,5%
Echinacea angustifolia P.E	Echinacea angustifolia DC	Herb	Echinacoside 4%
Echinacea P.E	Echinacea Purpurea (L.) Moench	Root	Polyphenols 4%
Elderberry P.E	Sambucus williamsii Hance	Fruit	Antocyanins 5%,10%
Epimedium P.E	Epimedium brevicornu Maxim	Leaf	Icariin 20%,40%,50%
Eugenia Cumini P.E	Syzygium cumin(L) skeels	Seed	Ellagic Acid 2%
Euro-Bilberry P.E	Vaccinium myrtillus L.	Fruit	Anthocyanins 25%
Flax Seed P.E	Linum usitatissimum L.	Seed	Secoisolariciresinol Diglucoside 20%,40%
Ganoderma Lucidum P.E	Ganoderma lucidum(Leyss.ex Fr.)Karst	Fruit Body	Polysaccharides 10%,20%

FINE CHEMICALS DEPARTMENT

Nutraceutical Product List

Product Name	Botanical Source	Part used	Main component Content
Garcinia Camnogia P.E	Garcinia cambogia	Fruit	Hydroxycitric Acid (HCA) 50%,60%
Gentian Root P.E	Gentiana scabra Bge	Aerial Part	Gentiopicroside 5%
Giant Knotweed P.E	Polygonum cuspidatum Sieb. Et Zucc	Rhizome	Resveratrol 20%,50%,98%
Ginger P.E	Zingiber officinale Rosc.	Rhizome	Gingerol 5%,10%,20%,30%,40%
Gingko Biloba P.E	Gingko biloba L.	Leaf	Flavones/Ginkgolides (24/6),Standard:USP,EP,CP
Ginseng Root P.E	PanaX ginseng C. A. Mey	Rhizome	Ginsenosides 10%,20%
Ginseng Leaf P.E	PanaX ginseng C. A. Mey	Leaf	Ginsenosides 80%
Gotu Kola P.E	Centella asiatica (L.) Urb	Leaf	Asiaticoside 10%,20%
Grape Leaf P.E	Vitis vinifera L.	Leaf	Total polyphenols 12% expressed as gallic acid
Grape Seed P.E	Vitis vinifera L.	Seed	Proantocyaninds 95%
Green Coffee Bean P.E	Coffea robusta or Coffea arabica	Seed	Chlorogenic acids 50%
Green Tea P.E	Camellia sinensis(L.)O.Kuntze	Leaf	Polypenols 90%,98%,EGCG 45%,50%
Guarana P.E	Paulinia cupana H.B. et K	Seed	Total alkaloids 10% Caffeine 10%,20%
Gymnema P.E	Gymnema affine Decne	Leaf	Gymnemic Acids 25%
Gynostemma Pentaphyllum P.E	Gynostemma pentaphyllum (Thunb.) Makino	Aerial Part	Gypenosides 80%
Hamamelis P.E	Hamamelis mollis Oliver	Leaf	Tannins 15%
Hawthorn Berry P.E	Crataegus pinnatifida Bge	Fruit	Flavones 2.0%
Hawthorn Leaves P.E	Crataegus pinnatifida Bge	Leaf	Vitexin-2.0-Rhamnoside 1.8%
Hedge Mustard P.E	Sisymbrium officinale L.	Herb	Myronate Potassium 0,5%
Hibiscus Flower P.E	Hibiscus rosa sinensis	Flower	Antocyanins 5%
Hops Flower P.E	Humulus Lupulus L.	Flower	Xanthohumul 5%
Horse Chestnut P.E	Aesculus hippocastanum L.	Fruit	Aescin 20%
Horsetail P.E	Equisetum arvense L.	Aerial Part	Organic Silica 7%
Huperzia Serrata P.E	Huperzia serrata (Thunb.) Trev	Aerial Part	Huperzine A 1%,5%
Ivy Leaf P.E	Hedera helix L.	Leaf	Hederacoside 5%
Kava P.E	Piper Methysticum	Rhizome	Kaklactones 30%
Kelp P.E	Laminaria japonica Arsch	Fronde	Polysaccharides 20%
Kola Nut P.E	Cola nitida (Vent.) Schott et Endi	Nut	Caffeine 10%,20%
Konjac P.E	Amorphophalms konjac	Rhizome	Glucomannan 90%
Krameria Triandra P.E.	Krameria lappacea (Dombey) Burdet	Root	Neolignan 15%
Kudzu Root P.E	Pueraria lobata(willd.)Ohwi	Root	Isoflavones 40%,80%
Lemon Balm P.E.	Melissa officinalis L.	Flower	Hydroxycinnamic derivates 10%
Lespedeza P.E.	Lespedeza capitata(L)Michx	Flowering top	Flavones 20%
Lycium Fruit P.E	Lycium barbarum L.	Fruit	Polysaccharides 10%,20%,40%,50%
Lycopersicum P.E	Solanum lycopersicum L.	Fruit	Lycopene 5%,10%

Product Name	Botanical Source	Part used	Main component Content
Maitake Mushroom P.E	Lentinus edodes (Berk.)sing	Fruit Body	Polysaccharides 10%,20%
Magnolia Cortex P.E	Magnolia officinalis Rehd. Et Wils	Bark	Magnolol Honokiol 2%,5%,10%
Mangosteen P.E	Garcinia mangostana L.	Fruit Peel	Mangostin 10%,20%
Marigold P.E	Tagetes erecta L.	Flower	Lutein 10%,20% Zeaxanthin 5%,50%
Melilotus P.E.	Melilotus officinalis (L.) Pallas	Herb	Coumarin 18%
Milk Thistle P.E	Silybum marianum (L.) Gaertn	Seed	Silymarin 80%
Millet P.E.	Panicum miliaceum L.	Seed	GC 7%,Fatty Acids 10%,HPLC 40%,Methionine 60%
Neettle Leaf/Root P.E	Urtica fissa E.Pritz	Leaf/Root	Silica 1% - β -Sitosterols 1%
Olive P.E.	Olea europaea L.	Fruit	Hydroxytyrosol 1,5%, Verbascoside 5%
Olive P.E.	Olea europaea L.	Fruit	Total polyphenols 10%, Verbascoside 2%
Orthosiphon P.E.	Orthosiphon samineus Benth	Leaf	Potassium 8%
Passion Flower P.E	Passiflora incarnata L.	Aerial Part	Flavones 4%
Pine Bark P.E	Pinus massoniana Lamb	Bark	Proanthocyanidins 95%
Pomegranate P.E	Punica granatum L.	Fruit Peel	Elleagic Acid 20%,40%,70%
Pomegranate P.E	Punica granatum L.	Fruit Peel	Polyphenols 40%, Punicalagin A&B 40%
Protea Cynaroides P.E.	Tilia cordata Mill/Tilia platyphyllos Scop	Flower	Flavone 0,5%
Pygeum Africanum P.E	Prunus Africana L.	Bark	Phytosterols 2,5%
Quassia P.E.	Pricrasma excelsa (Sw.) Planch	Wood	Sum of quassin+neoquassin 55%
Raspberry P.E	Rubus chingii Hu	Seed	Elleagic Acid 40%
Red Clover P.E	Trifolium pratense L.	Aerial Part	Isoflavones 8%,20%,40%
Rhodiola Rosea P.E	Rhodiola rosea (Prain ex Hamet)Fu	Rhizome	Rosavin 1%,2%,3% Salidroside 1%,2%,3%
Rhubarb P.E.	Rheum emodi Wall	Rhizome	Total anthraquinones 10% calculated as aloe emodin
Rosemary P.E.	Rosmarinus officinalis L.	Leaf	Rosmarinic acid 2,5%,25% Carnosic acid 10%,60%
Saw Palmetto Berry P.E	Serenoa repens (bartram) small	Fruit	Fatty Acids 25%,45%
Schisandra P.E	Schisandra chinensis(Turcz.)Baill	Fruit	Schisandrins 1%,2%,5%,9%,20% Schisandrol 1%,2%,3% Schisandrin B 1%,2% 3,2%
Sea Buckthorn P.E	Hippophae rhamnoides L.	Fruit	Flavones 5%
Senna Leaf P.E	Cassia angustifolia Vahl	Leaf	Sennoside 6%,8% Hydroxyanthracene glycosides 47,5% Sennosides 55%
Siberian Ginseng P.E	Eleutherocus senticosus (Rupr. Et Maxim.)Harms	Rhizome	Eleutheroside B+E0.8%,1,5%

FINE CHEMICALS DEPARTMENT

Nutraceutical Product List

Product Name	Botanical Source	Part used	Main component Content
Soybean P.E.	Glycine max (L.) Merr	Seed	Isoflavones 40%,80%
St.John's Wort P.E	Hypericum perforatum L.	Aerial Part	Total Hypericins 0,3% Hyperforin 3,0%
Tamarind Seed P.E.	Tamarindus indica L.	Seed	Polysaccharides 85%
Tolu Balsam P.E.	Myroxylon balsamum (L.) Harms var. balsamum	Balsamum	Sucrose 35%
Tribulus Terrestris P.E	Tribulus Terrestris L.	Seed	Total Saponins 45%,60%,80% Prododioscin 20%,40%
Uva Ursi P.E.	Arctostaphylos uvaursi L.	Leaf	Arbutin 20%
White Kidney Bean P.E.	Phaseolus vulgaris L.	Seed	α -amylase inhibitor 6% 100U/mg α -amylase inhibitor activity 3000 HAU/g Hemagglutinating activity
White Willow Bark P.E	Salix alba L.	Bark	Salicin 15%,25%,30%,50%
Wild Jujuba P.E	Ziziphus jujubaMill var.spinosa(Bunge)Hu	Fruit	Jujuboside A+B 2%
Wild Yam P.E	Dioscorea opposita Thunb	Rhizome	Diosgenin 16%,20%
Yohimbine Bark P.E	Rublanceae.Corynant.Yohimbine	Bark	Yohimbine HCl 8%


EFFECTIVE COMPONENT MONOMER

Product Name	Botanical Source	Part Used	Main Component Content
10-DAB III	Taxus baccata L.	Branchlet and leaf	10-DAB III 99%
18β- Glycyrrhiza glabra L.	Glycyrrhiza glabra L.	Root	18 β- Glycyrrrethnicacid 98% by potentiometry
5-HTP	Griffonia Simplicifolia(Vahl ex DC)Bail	Seed	5-HTP 99%
9-DHB	Taxus baccata L.	Branchlet and leaf	9-DHB 99%
α- Mangostin	Garcinia mangostana L.	Fruit	α-Mangostin 98%
Aloe Emodin	Aloe Vera L.	Cauline Leaf	Aloe Emodin 98%
Apigenin	Citrus paradisi Macfadyen	Fruit	Apigenin 99%
Ajmaline	Rauwolfia vomitoria Afz	Root Bark	Ajmaline 98%
Amygdalin	Prunus armeniaca L.	Seed	Amygdalin 98%
Artemisinine	Artemisia annua L.	Herb	Artemisinine 98%
Berberine Hydrochloride	Phellodendron amurense Rup	Bark	Berberine Hydrochloride 98%
Boldine	Peumus boldus Molina	Bark	Boldine 98,5%
Camptothecine	Camptotheca acuminata Decne. Var. Acuminata	Bark	Camptothecine 98%
Colchicine USP	Gloriosa Superba L.	Seed	Colchicine 94%
Colchicoside	Gloriosa Superba L.	Seed	Colchicoside 85%
Chrysin	Oroxylum indicum(L.)Vent	Seed	Chrysin 98%
Cytizine	Sophora alopecuroides L.	Seed	Cytizine 98%
Diosgenin	Dioscorea zingiberensis C.H. Wright	Rhizome	Diosgenin 98%
Diacerein	Aloe Vera L.	Cauline Leaf	Diacerein 98%
Daidzein	Glycine max (L.)Merr	Seed	Daidzein 98%
Diosmin	Citrus aurantium L.	Fruit	Diosmin 95%
Diosmetin	Citrus aurantium L.	Fruit	Diosmetin 99%
Eriodictyol	Citrus aurantium L.	Fruit	Eriodictyol 99%
Ellagic Acid	Punica granatum L.	Fruit Hull	Ellagic Acid 90%
Emodin	Polygonum cuspidatum Sieb. Et Zucc	Rhizome	Emodin 98%
Escin	Aesculus hippocastanum L.	Seed	Escin 95%
Esculin	Fraxinus chinensis Roxb	Bark	Esculin 98%
Esculetin	Fraxinus chinensis Roxb	Bark	Esculetin 98%
Euphobiasteroid	Euphorbia lathyris L.	Seed	Euphobiasteroid 99%
Ethylximenynate	Santalum album L.	Seed	Ethylximenynate 70%
Evodiamine	Evodia rutaecarpa (Juss.)Benth	Fruit	Evodiamine
Fisetin	Buxus sinica (Rehd. Et Wils) Cheng	Steam and Leaf	Fisetin 98%
Formononetin	Trifolium pratense L.	Herb	Formononetinl 98%
Galanthamine	Narcissus pseudonarcissus L.	Bulb	Galanthamine 98%
Genipin	Gardenia jasminoides Ellis	Fruit	Genipin 90%
Genistein	Sophora subprostata Chun et T.Chen	Fruit	Genisten 98%
Hesperidin	Citrus aurantium L.	Fruit	Hesperidin 90%,95%,98%
Hesperitin	Citrus aurantium L.	Fruit	Hesperitin 98%
Honokiol	Magnolia officinalis Rehd. Et Wils	Bark	Honokiol 98%
Huperzine A	Huperzia serrata (Thunb.) Trev	Aerial Part	Huperzine A 99%
Icariin	Epimedium brevicornu Maxim	Aerial Part	Icariin 98%

FINE CHEMICALS DEPARTMENT

Nutraceutical Product List

Product Name	Botanical Source	Part used	Main component Content
L-Dopa	Mucuna pruriens (Linn.) DC	Seed	L-Dopa 98%
Luteolin	Sophora japonica L.	Fruit	Luteolin 98%
Kaempferol	Sophora japonica L.	Fruit	Kaempferol 98%
Khellin	Ammi visnaga (L.) Lam	Fruit	Khellin 98%
Magnolol	Magnolia officinalis Rehd. Et Wils	Bark	Magnolol 98%
Monoammonium Glycyrrhizinate	Glycyrrhiza glabra L.	Root	Monoammonium Glycyrrhizinate 98%
Naringin	Citrus paradisi Macfadyen	Fruit	Naringin 98%
Neohesperidin	Citrus aurantium L.	Fruit	Neohesperidin 98%
Nicergoline	Ipomoea hederacea - Jacq	Seed	Nicergoline 98%
Nobiletin	Citrus aurantium L.	Fruit	Nobiletin 98%
Naringenin	Citrus paradisi Macfadyen	Fruit	Naringenin 98%
Naringin Dihydrochalcone	Citrus paradisi Macfadyen	Fruit	Naringin Dihydrochalcone 98%
Neohesperidin Dihydrochalcone	Citrus paradisi Macfadyen	Fruit	Neohesperidin Dihydrochalcone 98%
Oleanolic Acid	Hemsleya amabilis Diels	Rhizome	Oleanolic Acid
Oleuropein	Olea europaea L.	Leaf	Oleuropein 98%
Osthole	Cnidium monnieri (L.)Cuss	Seed	Osthole 98%
Paclitaxel	Taxus baccata L.	Branchlet and leaf	Paclitaxel 99%
Piperine	Piper nigrum L.	Fruit	Piperine 98%
Protodioscin	Tribulus Terrestris L.	Rhizome	Protodioscin 90%
Puerarin	Pueraria lobata(willd.)Ohwi	Rhizome	Puerarin 98%
Quercetin	Sophora japonica L.	Flower Bud	Quercetin 95%
Reserpine	Rauwolfia vomitoria Afz	Root Bark	Reserpine 99%
Resveratrol	Polygonum cuspidatum Sieb. Et Zucc	Rhizome	Resveratrol 98%
Ruscogenin	Ruscus aculeatus L.	Rhizome	Ruscogenin 95%
Ruscogenins	Ruscus aculeatus L.	Rhizome	Ruscogenin+Neoruscogenin 92%
Rutin	Sophora japonica L.	Bud	DAB9,DAB10,EP5,5
Rhein	Aloe Vera L.	Cauline Leaf	Rhein 98%
Sclareolide	Salvia Sclarea L.	Steam and Leaf	Sclareolide 98%
Salicin	Salix alba L.	Bark	Salicin 98%
Sclareol	Salvia Sclarea L.	Steam and Leaf	Sclareol 98%
Sericoside	Terminalia sericea Burch. Ex DC	Root Bark	Sericoside 76%
Sesamin	Sesamum indicum L.	Seed	Sesamin 98%
Shikimic Acid	Illicium verum Hook.f	Fruit	Shikimic Acid 99%
Synephrine	Citrus aurantium L.	Fruit	Synephrine 99%
Tabersonine	Voacango africana Stapf	Fruit	Tabersonine 98%
Tangeretin	Citrus aurantium L.	Fruit	Tangeretin 98%
Thiocolchicoside	Gloriosa Superba L.	Seed	Thiocolchicoside 98%
Troxeutin	Sophora japonica L.	Bud	Troxeutin
Tetrahydrocurcumin	Curcuma Longa L.	Rhizome	Tetrahydrocurcumin 95%
Vincamine	Voacango africana Stapf	Fruit	Vincamine 98%
Vinpocetine	Voacango africana Stapf	Fruit	Vinpocetine 98%
Visnadine	Ammi visnaga (L.) Lam	Umbel without fruits	Visnadine 90%
Yohimbine HCL	Rublanceae.Corynant.Yohimbine	Bark	Yohimbine HCL 98%



www.lcm-group.it

- L.C.M. GROUP -

Via Mazzini, 33 - 20099 Sesto San Giovanni (MI) – ITALY

Tel.: +39.02.2627031 – Fax. +39.02.26261008